

RAS

PRODUCTION PROGRAM

INNOVATION

MADE IN GERMANY

DuctZipper L-Form

DUCT SEAMING MACHINES

Even very large ducts can be produced with only two operators.

Working speed doubled through quicker loading of following part.

For large ducts and high productivity

The DuctZipper in L-shape is specifically designed for large ducts. On the DuctZipper-L the working position is rotated by 45 degrees. The horizontal flange of the duct rests on the table while the vertical flange is directed straight up. Gripping grooves in the vertical wall let the operator easily hold and guide the duct while passing it through the machine.

Manufacturing of small ducts

Improved seaming accuracy also results in a reduced distortion of the duct cross-section.

Dimensions (max)

DuctZipper L

RAS 20.10-L

Sheet thickness max.
0.5–1.00 mm

Duct cross-sec. min.
100 x 100 mm

Speed ca.
15 m/min.

RAS 20.12-L

Sheet thickness max.
1.0–1.25 mm

Duct cross-sec. min.
140 x 140 mm

Speed ca.
15 m/min.

BENDING CUTTING FORMING SOFTWARE

RAS Reinhardt Maschinenbau GmbH
Richard-Wagner-Straße 4–10
71065 Sindelfingen | Germany
Fon +49 7031-863-0
E-Mail: info@ras-online.de
www.ras-online.de

Edition number 08/26